



THE AMERICAN COLLEGE, MADURAI

(An Autonomous Institution Affiliated to Madurai Kamaraj University)

Re-accredited (2nd Cycle) by NAAC with Grade "A", CGPA – 3.46 on a 4-point scale

Backlog Arrear Examination, March 2021

MCA5421 computer oriented numerical methods and statistic
Max: 75 marks Answer any five questions Time : 120 mts

- Find a root of an equation $f(x)=x^3+2x^2+x-1$ using False Position method
- From the following table of values of x and y, obtain dy/dx and d^2y/dx^2 for $x = 1.2$

x	1.0	1.2	1.4	1.6	1.8	2.0	2.2
y	2.7183	3.3201	4.0552	4.9530	6.0496	7.3891	9.0250

- Find $y(3)$ for $y'=x+y$, $y(0) = 1$, with step length 1 using Runge-Kutta fourth order method
- join p.d.f of the random variable defined as
$$f(X,Y)=\left\{ \frac{x+y}{21} \mid x=1,2,3 \text{ and } y=1,2 ; 0 \text{ otherwise} \right\}$$
Obtain conditional mean of X for given "y"
- Let Xbe a continuous random variable with P.d.f
$$f(x)=\left\{ 2x \mid 0 \leq x \leq 1; 0 \text{ otherwis} \right\}$$
 - Find the probability for $-2 < x < 5$
 - Find the mean
- Define the terms
 - population
 - Random Sampling
 - Systematic Sampling
 - Stratified Sampling
 - Cluster sampling

7. Suppose you randomly select 7 women from a population of women, and 12 men from a population of men. The table below shows the standard deviation in each sample and in each population

Population	Population standard deviation	Sample standard deviation
Women	30	35
Men	50	45

DF	1	2	3	4	5	6	7	8	9	10
1	161.448	199.500	215.707	224.583	230.167	233.986	236.768	238.883	240.543	241.887
2	18.513	19.000	19.164	19.247	19.296	19.330	19.353	19.371	19.385	19.396
3	10.128	9.552	9.277	9.117	9.013	8.941	8.887	8.845	8.812	8.786
4	7.709	6.944	6.591	6.388	6.256	6.163	6.094	6.041	5.999	5.964
5	6.608	5.786	5.409	5.192	5.050	4.950	4.876	4.818	4.772	4.735
6	5.987	5.143	4.757	4.534	4.387	4.284	4.207	4.147	4.099	4.060
7	5.391	4.737	4.347	4.120	3.972	3.866	3.787	3.726	3.677	3.637
8	5.318	4.459	4.066	3.838	3.687	3.581	3.500	3.438	3.388	3.347
9	5.117	4.256	3.863	3.633	3.482	3.374	3.293	3.230	3.179	3.137
10	4.965	4.104	3.708	3.478	3.326	3.217	3.135	3.072	3.020	2.978
11	4.844	3.982	3.587	3.357	3.204	3.095	3.012	2.948	2.890	2.854
12	4.747	3.885	3.493	3.259	3.106	2.996	2.913	2.849	2.796	2.753
13	4.667	3.806	3.411	3.179	3.025	2.915	2.832	2.767	2.714	2.671
14	4.600	3.739	3.344	3.117	2.958	2.848	2.764	2.694	2.646	2.603
15	4.543	3.682	3.287	3.056	2.901	2.790	2.707	2.641	2.588	2.544
16	4.494	3.634	3.239	3.007	2.852	2.741	2.657	2.591	2.538	2.494
17	4.451	3.592	3.197	2.965	2.810	2.699	2.614	2.548	2.494	2.450
18	4.414	3.555	3.160	2.928	2.773	2.661	2.577	2.510	2.456	2.412
19	4.381	3.528	3.129	2.894	2.740	2.626	2.544	2.480	2.433	2.390

Analysis there is difference between population variance and sample variance